OMB NO 1024-0018 Exp 10-31-84

United States Department of the Interior National Park Service

# National Register of Historic Places Inventory—Nomination Form

For NPS use only

received date entered

See instructions in How to Complete National Register Forms
Type all entries—complete applicable sections

Type all entrie	s—complete appli	cable sections		· :		
1. Nan	ne					
historic =	Starke Count	y Courthouse				
and or common	Same					
2. Loc	ation				And the second s	
street & numbe	r Courthouse S	quare		Ŋ	/A not for publication	
city, town	Knox	N/A v	ricinity of	·		
state	Indiana	code 018	county	Starke	code 149	
3. Clas	sificatio	n				
Category  district		X yes: restricted		Present Use agriculture commercial educational entertainment government industrial military	museum park private residence religious scientific transportation other:	
4. Owr	ner of Pro	perty				
name	Starke County	y Commissioners				
street & number	. Starke County	y Courthouse				
city, town	Knox	N/A v	icinity of	state	Indiana 46534	
5. Loca	ation of L	egal Des	criptic	n		
courthouse, reg	istry of deeds, etc.	Starke Count	y Courthou	se, Recorder's Off	ice	
street & number		Washington S	treet			
city, town		Knox		state	Indiana 46534 /	
<u>6. Rep</u>	resentati	on in Exi	sting S	Surveys		
title	N/A	·	has this prop	perty been determined el	igible? yes <sup>X</sup>	
date				federal sta	te county loc	
depository for s	urvey records	N/A				

city, town

## 7. Description

#### Condition

excellent
X good
fair

deteriorated ruins unexposed

Check one unaltered X altered

Check one
X original site
moved date

### Describe the present and original (if known) physical appearance

The Starke County Courthouse was erected in 1897, designed by Fort Wayne architects Wing and Mahurin, and built by Caldwell and Drake, of Columbus, Indiana. It is located in the courthouse square, which is bounded by Washington, Main, Mound and Pearl Streets.

The three-story Richardsonian Romanesque courthouse is constructed of Indiana Oolitic lime-stone and terra cotta, and has a tiled, hipped roof. The building's height, including the clock tower, is 138 feet. The layout follows a Greek cross plan, with the massive clock tower located at the roof's center.

The courthouse's main facade, the south elevation, is three bays wide, with a central pavilion that terminates in a wall dormer. (Photo 1.) The one-story entryway projects, and is constructed with massive rock-faced stone block that is used exclusively on the ground level of the building. The entrance is set within a finely engraved, broad segmental arch that appears to spring from ornamental visage medallions. The original paired wood doors have yielded to modern replacements which are flanked by single windows framed by stone mullions. Three lights are contained in the entrance's arched transom. A balustraded balcony, underscored by a corbel table, spans the one-story entry and features pedestal-mounted gargoyle light fixtures which are located at each corner. Above the balcony is a two and one-half story round-arched window, divided vertically into three bays by stone mullions. hung windows are located on the second and third stories, with ornamented spandrel panels between floors. Above the third story windows is a row of square lights, followed by another row of square lights, and topped by lights that fit within the round arch. The arch itself is compound, with dressed stone piers that have carved capitals, which act as springers for the rock-faced stone arch. The archivolt has a pointed peak, which reaches up to a decorated, louvered opening in the wall dormer. The dormer has a fractable gable. surface of the wall dormer is rock-faced stone, laid in alternating wide and narrow courses.

Flanking the central pavilion on this facade are single bays, each with a pair of windows below a broad, round arch at the ground level. The rock-faced stone at the ground floor level slopes inward to meet the dressed stone water table between the first and second floors. Above the water table the walls are of rock-faced stone, with alternating courses of wider and narrower stones. The second story has single rectangular, double-hung windows, with ornamented spandrel panels separating them from the windows on the third floor. Although the third floor double-hung windows are round-arched, their heads are Gothic-arched, with rock-faced voussoirs and ornate springers. Four pilasters are located on the facade, at each corner and flanking the central pavilion. Corbelled stone and plain molding form the cornice, above which are two more courses of stone. The roofline is decorated with square stone pinnacles above each pilaster.

Also facing south on either side of the main facade are recessed single bays, which are treated similarly to the bays flanking the central pavilion, except that the ground floor windows are single, rectangular, double-hung sash, rather than the arched configuration found on the main facade.

From the center of the red, clay-tiled roof rises the square clock tower, which is best described as having two distinct parts that are separated by a cornice and balustrade resembling the balcony over the main entrance. The lower section continues the building's upper story stonework. Each of the lower section's faces contains paired, deepset, compound, round-arched windows, divided horizontally into four lights. The springers are decorated, and from the lower corners of the cornice spring gargoyle-like sculptures.

### 8. Significance

prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 X 1800–1899 1900–	Areas of Significance—C archeology-prehistoric archeology-historic agriculture X architecture art commerce communications	community planning landscape arci conservation law economics literature education military engineering music exploration/settlement philosophy industry X politics governing invention	science sculpture social/ humanitarian theater
Specific dates	1897	Builder/Architect Caldwell and Drake/	Wing and Mahurin

### Statement of Significance (in one paragraph)

The Starke County Courthouse is significant for its Richardsonian Romanesque architecture, designed by the firm of John F. Wing and Marshall S. Mahurin, of Fort Wayne, and for its role as the seat of county government for the past 89 years.

The partnership of Wing and Mahurin dates from 1881 with the firm designing a number of prominent; buildings, including the Hancock and Monroe County Courthouses, the City Halls of Fort Wayne and Kokomo, and the Riley school in Greenfield, and St. Paul's Evangelical Lutheran Church in Fort Wayne.

The building was constructed in 1897 by contractors George W. Caldwell and Lester Drake, of Columbus, Indiana. Caldwell and Drake are best known for the West Baden Springs Hotel which, at that time, had the largest dome in the world, and for the Palace of Agriculture at the St. Louis World's Fair, which was the largest building ever constructed under one roof at the time of its execution. The building is a fine example of the Richardsonian Romanesque style, one of many Wing and Mahurin buildings in this style. Characteristic features include the rock-faced stone, heavy massing, broad arches, and steeply pitched, hipped roof.

The building is the third county courthouse and is significant for its being the seat of county government for nearly 90 years. A wooden structure was utilized when Knox became the county seat in 1850, being replaced with a larger, brick building in 1858. The present structure was finished in 1898 at a cost of \$130,000, and is the oldest civic building in the county.

The building continues to serve the Starke County community. The courthouse presently contains the offices for zoning, health, the Council on Aging, the Court Clerk, the law library, the Jury room, Probation, and Judges' Chambers, and the courtrooms.

## 9. Major Bibliographical References


Please see continuation sheet

....

10. G	eographica	l Data			
	minated property				
Quadrangle na	1/ F T			Quadrangl	scale 1:24000
UT M Referenc	es				<ul> <li>• • · · · · · · · · · · · · · · · · · ·</li></ul>
	3 <sub>1</sub> 16 <sub>1</sub> 0 <sub>1</sub> 0 4 <sub>1</sub> 5 7 <sub>1</sub> sting Northing	1 7 8 0	B	sting	Northing
c 🔝 📙					
E			F		
ашШ			- H		
/erbal bound	dary description and ju	stification			
	County Courthouse i	•	ashington, Mai	n, Mound, a	nd Pearl Streets
	es and counties for pro	perties overlappii	ng state or count	y boundaries	
state '	· · · · · · · · · · · · · · · · · · ·	code d	ounty		code
tate		code c	ounty		code
11. Fo	rm Prepare	d By	•		
			<u> </u>		
ame/title	Ronald Merriam,	Past President			
rganization	Starke County Hi	storical Socie	ty date	A	oril, 1986
treet & numb	er 207 East State S	treet	teleph	one 2	19/896-2629
ity or town	North Judson		state	Iı	ndiana 46366
12. St	ate Historic	c Preserv	ation Of	ficer C	ertification
he evaluated	significance of this prope	rty within the state i	s:		
	national	state X	ocal		
65), I hereby r	ated State Historic Preserv nominate this property for ne criteria and procedures	inclusion in the Nat	tional Register and	certify that it ha	
State Historic I	Preservation Officer signa	nture Paul	I Hank	162 / m	Peden
<sub>itle</sub> Indian	na State Historic P	reservation Of	ficer	date a	. Kelenaus 19.21,1986
For NPS us	se only				
I hereby	certify that this property i	s included in the Nat	tional Register		
				date	
Keeper of t	the National Register				
Attest:				date	
Chief of Re	aistration				

**United States Department of the Interior**National Park Service

# National Register of Historic Places Inventory—Nomination Form



Continuation sheet Starke County Courthouse

Item number

7 and 9

Page

The arcaded upper section, the clock tower proper, is constructed of dressed, coursed ashlar and has a high, hipped roof. The center two of the four open, round arches of the arcade are recessed and are framed by a shallow blind arch that extends up into the wall dormers and houses a clock face. The central arch has a dressed stone archivolt from which rises a decorative relief at its apex. The two open arches flanking the central arches are taller, and have archivolts, as well as projecting springers. On either side of the wall dormer, the cornice is corbelled as on the main building.

The treatment of the clock tower's roof, wall dormer coping, and ridge roll follows that found on the courthouse proper.

The courthouse interior, which has recently been partially refurbished, features both hardwood and ceramic-tiled floors, plaster and panel wall treatments, and ornate cornice and pilaster capitals. The staircase is accented by ornamental iron balusters, marble steps, and a patriotic ceiling painting of Liberty located between the first and second floors. Ionic capitals, with polychromed gilding, eagle, and shield are found on hall columns and pilasters.

The courthouse lawn is landscaped with trees and shrubs and is surrounded by a coping of limestone that also edges the entry walks. Mounted cannons flank the main, south entrance and on the southwest corner is located the granite and limestone Starke County war memorial.

#### Item number 9

McCormick, Chester A. McCormick's Guide to Starke County. 1902.


Richman, George J. <u>History of Hancock County, Indiana</u>. 1916. Greenfield, IN: Mitchell Publishing Company.

Standard History of Starke County, Indiana, A. Vol. 1. Chicago: The Lewis Publishing Company, 1915.


Starke County Centennial, 1850-1950. Published by the Starke County Democrat.

Courthouse Records


Original blueprint of building.



Starke County Courthouse UTM Reference: 16/551600/4571780



Starke County Courthouse
Knox, Indiana
Ronald Merriam, Photographer
April, 1984
Negative, 207 E. State North Judson
South East Corner of Courthouse
Looking Northwest
Photograph One



Starke County Courthouse
Knox, Indiana
Ronald Merriam, Photographer
April, 1984
Negative, 207 E. State North Judson
East Side of Courthouse
Looking West
Photograph two of two